Revision 1: 3 0 /01/2023

# SECTION 1. PRODUCT/ MIXTURE AND COMPANY IDENTIFICATION

1.1 Product Identifier	
Product name	Blancone ULTRA+
Other means of identification	Not Available

1.2 Details of the supplier of the safety data sheet			
Manufacturer/Supplier	IDS S.p.A.		
Address	Via S. Cristoforo 28/10		
	17100 Savona (SV) ITALY		
Telephone	+39 019 862080		
Fax	+39 019 2304865		
Website	<u>www.idsdental.it</u>		
Email	<u>info@idsdental.it</u>		
<b>Emergency Telephone</b>	+30 210 2824437		

## 1.3 Description of the Product

Blancone ULTRA+ is a Hydrogen Peroxide gel and it will be used for tooth whitening in office by dental professional.

# **SECTION 2. HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

Hazardous mixture according to Reg. (EC) No 1272/2008 and their amendments.

DPD classification [1]	
Classification according to regulation (EC)	Acute Toxicity, Category 4, Oral, H302
No 1272/2008 [CLP]	Serious Eye Damage Category 1, H318
	Skin Irritation, Category 2
	Specific Target organ toxicity, Category 4,
	Classification drawn from EC Directive
	1272/2008 - Annex VI
[1]	

2.2 Label element(s)	
CLP label element Pictogram GHS07	
SIGNAL WORD	DANGER

According to Regulation (EC) No 1272/2008 Revision 1: 3 0 /01/2023

Hazard statement(s)	
Н319 Н315	Causes serious irritation on eye and skin
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
H302	Harmful if swallowed

H335	May cause respiratory irritation		
H302	Harmful if swallowed		
<b>Supplementary statement(s)</b>			
Not Applicable			
Precautionary statement(s) Prevent	tion		
P280	Wear protective gloves/protecting clothing/eye protection/face protection		
P260	Do not breathe mist, vapors or spray		
P273	Avoid release to the environment		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking		
P220	Keep/Store away from clothing/flammable materials/combustibles		
P221	Take any precaution to avoid mixing with combustibles/flammables		
<b>Precautionary statement(s) Respon</b>	ise		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER or doctor		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower		
P363	Wash contaminated clothing before reuse		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing		
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting		
P370+P378	In case of fire: Use water for extinction		

# .Precautionary statement(s) Storage

Keep container in a cool place out of direct sunlight. Store only in vented containers. Do not store on wooden pallets. Do not return unused material to its original container. Avoid contamination - Contamination could cause decomposition and generation of oxygen which may result in high pressure and possible container rupture. Empty drums should be triple rinsed with water before discarding

P273	Avoid release to the environment
Precautionary statement(s) Disposal	
P501	Dispose of in compliance with governmental regulation. (EC1975L0442-10/11/2003)

# 2.3 Other hazards

None Known

According to Regulation (EC) No 1272/2008

Revision 1: 3 0 /01/2023

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Description**

Opaque gel, White

#### 3.1 Substances

Not applicable, this product is a mixture

# 3.2 Mixtures/ Chemical characterization

	Hydrogen Peroxide	C < 40	Acute Toxicity, Category 4, Oral, H302
			Serious Eye Damage Category 1, H318 Skin Irritation, Category 2 Specific Target organ toxicity, Category 4, H413 Oxidizing liquids, Category 2
N/A	Ingredients determined to be Non-Hazardous	< 60.00	N/A
	N/A	S	E

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4. FIRST AID MEASURES**

#### **General information**

The intended use is for application for the patient at dental office by a dentist. If poisoning occurs, contact the local Poisons Information Centre

#### **Inhalation**

#### **Hazardous components**

Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If breathing labored and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a facemask. If breathing has stopped apply artificial respiration at once. In the event of cardiac arrest, apply external cardiac massage. Seek immediate medical advice.

#### Skin contact

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

According to Regulation (EC) No 1272/2008 Revision 1: 3 0 /01/2023

# Eye contact

Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical center.

#### After swallowing

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Immediately call Poisons Centre or Doctor.

#### Notes to physician

Treat symptomatically. Can cause corneal burns.

#### **SECTION 5. FIREFIGHTING MEASURES**

Hazchem Code: 2P

#### Suitable extinguishing agents

Water spray. Use fire extinguishing methods suitable to surrounding conditions.

## For safety reasons unsuitable extinguishing agents

Water with full jet, CO2

#### **Protective equipment**

No special measures.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### **Person-related safety precautions**

Wear protective equipment. Keep unprotected persons away. Dilute with plenty of water.

## Measures for cleaning/collecting

Absorb with inert binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### **Measures for environmental protection** (see section 12)

Dispose contaminated material as waste according to item 13.

According to Regulation (EC) No 1272/2008

Revision 1: 3 0 /01/2023

# **SECTION 7. HANDLING AND STORAGE**

# **Handling**

#### **Safe Handling**

- > Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- ➤ DO NOT enter confined spaces until atmosphere has been checked.
- ➤ DO NOT allow material to contact humans, exposed food or food utensils.
- ➤ Avoid contact with incompatible materials.
- ➤ When handling, DO NOT eat, drink or smoke.
- > Keep containers securely sealed when not in use.
- ➤ Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- ➤ Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- > Use good occupational work practice.
- ➤ Observe manufacturer's storage and handling recommendations contained within this SDS.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

### Information about fire - and explosion protection

Ensure good ventilation/exhaustion at the workplace. No special measures required.

#### **Storage**

#### Requirements to be met by storerooms and receptacles

Store in dry and well-ventilated area at 5°C to 25°C. Avoid the direct contact with light and heat

## Information about storage in one common storage facility

- > Store away from flammable substances.
- > Store away from reducing agents.
- > Store away from metals.

#### **Further information about storage conditions**

- ➤ Keep receptacle tightly sealed.
- > Protect from heat and direct sunlight.
- > Store in a cool place.
- ➤ Heat will increase pressure and may lead to the receptacle bursting.

According to Regulation (EC) No 1272/2008

Revision 1: 3 0 /01/2023

#### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

## General protective measures

Avoid contact with eyes and skin

#### **Hygienic measures**

Immediately remove all soiled and contaminated clothing

8.1 Control parameters				
Exposure Guidelines				
Component	ACGIH	OSHA PEL	NIOSH IDLH	
	TLV			
Hydrogen Peroxide	TWA: 1	(Vacated) TWA: 1 ppm	IDLH: 75 ppm	
	ppm	(Vacated) TWA: 1.4 mg/m3	TWA: 1 ppm	
		TWA: 1 ppm	TWA: 1.4 mg/m3	
		TWA: 1.4 mg/m3		

ACGIH - American Conference of Governmental Industrial Hygienists

**OSHA** - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately

Dangerous to Life or Health

\* TLV – Threshold Limit Value (should not be exceeded at any time) / REL – Recommended Exposure Limit (should not be exceeded at any time) / PEL – Permissible Exposure Limit (averaged over an 8-hour workshift)

## 8.2. Personal Protective Equipment (PPE) Information

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin:** S36/37: Wear suitable protective clothing and gloves.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respiratory:** S38: In case of insufficient ventilation, wear suitable respiratory equipment.

According to Regulation (EC) No 1272/2008

Revision 1: 3 0 / 01 / 2023

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Blancone ULTRA+ Gel** 

Form: Gel

**Odour:** Characteristic

	Value	Temperature
pH-value	Before Mixing 0.70-1.30	
	After Mixing 6.00-7.20	
Boiling point	@ 760 mmHg	
	114 °C / 237.2 °F	
Vapour pressure	2.4 kPa	30°C
Density	1.150-1.350 g/cm3	25°C
Solubility in water	Miscible	
Decomposition Temperature	> 125°C	

## SECTION 10. STABILITY AND REACTIVITY

#### **Stability**

Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.

#### **Conditions to Avoid**

Excess heat. Incompatible products. Combustible material

#### **Incompatible Materials**

Acids, Strong oxidizing agents, Alcohols, Alkaline, Ammonia, Organic materials, Sulfides, Cyanides, lead oxides, Lead, Acetone, Acid anhydrides, Metals, copper, Reducing Agent, Finely powdered metals, Strong reducing agents, Combustible material

## **Dangerous reactions**

Reacts with various metals

Reacts with reducing agents Reacts with catalysts

Acts as an oxidizing agent on organic materials such as wood, paper and fats

#### **Hazardous** decomposition products

Decomposition by combustion, may release oxides of carbon and nitrogen.

# SECTION 11. TOXICOLOGICAL INFORMATION

## **Acute Toxicity**

#### Product Information

Oral LD50	Category 4. ATE = 300 - 2000 mg/kg
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg
Vapor LC50	Category 4. ATE = 10 - 20 mg/l. Based on ATE data, the classification
	criteria are not met.
	ATE > 20  mg/l

#### Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrogen peroxide	376 mg/kg ( Rat ) (90%) 910 mg/kg ( Rat ) (20-60%) 1518 mg/kg ( Rat ) (8-20% sol)	>2000 mg/kg ( Rabbit )	LC50 = 2000 mg/m3 (Rat) 4 h

Toxicologically Synergistic Products: No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes burns by all exposure routes	
Sensitization	No information available	
<b>Carcinogenicity</b> The table below indicates whether each agency has listed any ingredic		
	a carcinogen	

Component	CAS-No	IARC	NTP	ACGIH	OSHA
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed
Disodium EDTA	6381-92-6	Not listed	Not listed	Not listed	Not listed
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

According to Regulation (EC) No 1272/2008 Revision 1: 3 0 /01/2023

Mutagenic Effects	Mutagenic effects have occurred in experimental
	animals.
Reproductive Effects	No information available
<b>Developmental Effects</b>	No information available
Teratogenicity	No information available
STOT - single exposure	Respiratory system Central nervous system (CNS)
STOT - repeated exposure	None known
Aspiration hazard	No information available
Symptoms / effects,both acute and	Product is a corrosive material. Use of gastric lavage or
delayed	emesis is contraindicated.
	Possible perforation of stomach or esophagus should
	be investigated: Ingestion causes
	severe swelling, severe damage to the delicate tissue
	and danger of perforation
<b>Endocrine Disruptor Information</b>	No information available

# **SECTION 12. ECOLOGICAL/ENVIROMENTAL INFORMATION**

## **Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Contains a substance which is: Harmful to aquatic organisms.

The product contains following substances which are hazardous for the environment.

Component Freshwater		Freshwater Fish	Microtox	Water Flea
	Algae			
Hydrogen peroxide	EC50 2.5	LC50: 16.4	Not listed	EC50 7.7
	mg/L/72h	mg/L/96h		mg/L/24h
		(P.promelas)		

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available. Miscible with water.	
	Readily biodegradable	
Bioaccumulation/ Accumulation	Bioaccumulation is unlikely	
Mobility	Will likely be mobile in the environment due to	
	its water solubility	

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Product	Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with governmental regulation. (EC
	1975L0442-20/11/2003).

Safety Data Sheet
According to Regulation (EC) No 1272/2008

Revision 1: 3 0 / 01 / 2023

Uncleaned packaging	Empty contaminated packaging thoroughly.		
	They may be recycled after thorough and		
	proper cleaning.		
	Recommended cleansing agents: Water, if		
	necessary together with cleansing agents.		
Waste treatment options	Not Available		
Sewage disposal options	Not Available		

# **SECTION 14. TRANSPORT INFORMATION**

# <u>DOT</u>

UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

# **TDG**

UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

# **IATA**

UN-No	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II
Special precautions for	Cargo aircraft only: 5Lt Total
user	Maximum net quantity per individual inner packaging:
	1.0 ml
	Maximum quantity of individual inner packs: 5,000
	pieces

# IMDG/IMO

UN-No	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

According to Regulation (EC) No 1272/2008

Revision 1: 3 0 /01/2023

## **SECTION 15. REGULATORY INFORMATION**

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Hydrogen peroxide	7722-84-1	X	ACTIVE	-

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Hydrogen	7722-84-1	X	-	231-765-0	X	X	X	X	KE-20204
peroxide									

# **SECTION 16. OTHER INFORMATION**

16.1 Full text Hazard (H) (not classification of ready mixed product)				
H-phrases				
H225	Highly flammable liquid and vapour			
H271	May cause fire or explosion; strong oxidiser.			
H272	May intensify fire; oxidizer.			
H290	May be corrosive to metals.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed			
H314	Causes severe skin burns and eye damage.			
H318	Causes serious eye damage			
H330	Fatal if inhaled.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.